

MATERIAL SAFETY DATA SHEET

CHEMCO INDUSTRIES, INC.
5731 Manchester Ave., St. Louis, MO 63110



DATE OF ISSUE: January, 05, 2006

GENERAL INFORMATION # : 314-647-1888
EMERGENCY TELEPHONE # : (800) 854-4236

I-PRODUCT IDENTIFICATION

AQUA MOP

PRODUCT CODE: #013,#014,#014A

CHEMICAL FORMULATION: WATER BASED DUST MOP TREATMENT

NFPA HAZARD IDENTIFICATION SYSTEM: HEALTH:2 FLAMMABILITY: 4 REACTIVITY:0

HAZARD RATING: 4- Extreme; 3 - High; 2 - Moderate; 1 - Slight; 0 - Insignificant

II - HAZARDOUS INGREDIENTS

Hazardous Components (Specific Chemical Identity; Common Name (s))				Other Limits	
	CAS No.	OSHA PEL	ACGIH TLV	Recommended	% optional
KEROSENE	64742-65-7	500ppm	100ppm		
MINERAL SEAL OIL	84742-06-9	5ppm	5MG/M3		
PROPANE	74-98-6	1000ppm	1000ppm		
ISOBUTANE	75-28-5	N/E	800ppm		

Key: PEL: Permissible Exposure Limit TLV: Threshold Limit Value C: Ceiling Level STEL: Short Term Exposure Limit

N/A: Not Applicable N/D: Not Determined N/E: Not Established Y: Yes N: No

302: CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4).

355: SARA TITLE III/ List of Extremely Hazardous Substances for Emergency Planning and Notification (40 CFR 355).

372: SARA TITLE III/ List of Toxic Chemicals subject to Release Reporting (Community Right to Know) (40 CFR 372).

III - PHYSICAL DATA

BOILING POINT (°F): N/A	MELTING POINT: N/A
VAPOR PRESSURE (psig@25C): 50psig	SPECIFIC GRAVITY (H2O=1): 0.860
VAPOR DENSITY (AIR=1) >1	
SOLUBILITY IN WATER: INSOLUBLE	EVAPORATION RATE (Butyl Acetate =1): <1
	pH (@25C) : N/A
APPEARANCE AND ODOR: LIGHT AMBER-SWEET ODOR	

IV - FIRE AND EXPLOSION HAZARD

FLAME PROJECTION: OVER 18"

(TEST METHOD):

FLASH POINT: N/A

FLAMMABLE LIMITS: NONE

UPPER: NONE

LOWER: NONE

EXTINGUISHING MEDIA: CO2, STANDARD FOAM, DRY CHEMICAL, HALON

SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS

UNUSUAL FIRE AND EXPLOSION HAZARD: EXPOSURE TO TEMPERATURES OVER 120 DEGREES F MAY CAUSE BURSTING OR VENTING. HEAT OR FIRE MAY CAUSE HAZARDOUS FUMES: CARBON MONOXIDE

V - REACTIVITY DATA

STABILITY:	STABLE
INCOMPATIBILITY:	OXIDIZING MATERIALS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:	OPEN FLAMES MAY PRODUCE CARBON MONOXIDE
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR
CONDITIONS TO AVOID:	SOURCES OF HEAT

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: AQUA MOP

PRODUCT CODE: #013, #014, #014A

VI - HEALTH AND HAZARD DATA

PRIMARY ROUTES OF ENTRY: EYES, SKIN, INGESTION, INHALATION

GENERAL: TOXICITY INFORMATION IS NOT AVAILABLE FOR THESE FINISHED PRODUCTS. THIS HEALTH HAZARD ASSESSMENT IS BASED ON INFORMATION AVAILABLE FOR THE COMPONENTS IN THE FINISHED PRODUCT.

THRESHOLD LIMIT VALUE: N/E

OSHA & ACGIH: N/R

CARCINOGEN-NTP & IARC PROGRAM: NOT CONSIDERED A CARCINOGEN

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: SKIN SENSITIVITY, CHEMICAL ALLERGIES

SYMPTOMS OF EXPOSURE

EYES: MAY CAUSE ITCHING, DRYNESS, REDNESS OR WATERING

SKIN: MAY CAUSE IRRITATION OR REDNESS

INGESTION: NAUSEA, HEADACHE, VOMITING

INHALATION: LARGE AMOUNTS OF VAPORS MAY CAUSE NAUSEA, OR DIZZINESS

EMERGENCY FIRST AID

IF IN EYES: FLUSH WITH CLEAR WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS

IF ON SKIN: FLUSH WITH CLEAR WATER SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS

IF INGESTED: DO NOT INDUCE VOMITING, DRINK LARGE VOLUMES OF CLEAR WATER AND CONTACT PHYSICIAN

IF INHALED: N/A

VII - SPILL AND LEAK PROTECTION

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: REMOVE ALL SOURCES OF IGNITION. DIKE AREA IF POSSIBLE FOR MATERIAL RECOVERY. SMALL QUANTITIES MAY BE ABSORBED WITH ABSORBENT MATERIALS

WASTE DISPOSAL METHOD: DISPOSE OF IN A MANNER APPROVED BY LOCAL, STATE AND FEDERAL REGULATIONS AS WELL AS EPA STANDARDS

VIII - SPECIAL PROTECTION INFORMATION

VENTILATION: GENERAL VENTILATION RECOMMENDED TO MAINTAIN THE LEVEL OF THE HAZARDOUS INGREDIENTS TO LESS THAN HALF OF THE TLV.

RESPIRATORY PROTECTION: NONE REQUIRED

PROTECTIVE GLOVES: RUBBER GLOVES. FOR SHORT USAGE NONE REQUIRED

EYE PROTECTION: SAFETY GOGGLES. FOR SHORT USAGE NONE REQUIRED

OTHER PROTECTIVE EQUIPMENT: NONE REQUIRED

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: DO NOT STORE WHERE TEMPERATURES EXCEED 120 DEGREES FAHRENHEIT.

OTHER PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN

WORK/HYGIENIC PRACTICES:

REVISION DATE: January 05, 2005

Prepared By:

DATE OF ISSUE: January 05, 2005

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Chemco Industries assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material such vendees or users assume all risks associated with the use of this material.